

Dear Parent,

All children between the age group of 9 months and 15 years, are advised by the **Directorate of Education** vide its circular No. FDE 23(386)/Sch.Br./2018/1541 dated October 25, 2018, to take **an additional dose of the MR vaccine**, regardless of their previous vaccination status or history of Measles/Rubella like illnesses.

The DOE will be partnering with schools to give this vaccination from the third week of January, 2019. **The vaccine will be supplied and administered by trained personnel from NDMC hospitals** (the school shall not be responsible for the vaccine or any of its side effects).

The MR vaccine will be administered in our school on the 30th and 31st of January 2019.

The students have already been informed about measles and rubella vaccination campaign in school through an interactive session.

You are advised to consult your pediatrician/family physician regarding the same and send us your consent for the same.

I, the parent of _____, a student of class _____ give/ do not give my consent for my ward to be vaccinated under the MR Vaccination Campaign to be conducted in the school in the 3rd Week of January 2019.

Signature of parent _____

Note: **Please return the consent form duly signed to the class teachers by 21st December 2018.**



स्वास्थ्य एवं परिवार कल्याण मंत्रालय
भारत सरकार

खसरा और रुबैला

टीकाकरण अभियान

एम.आर. सूचना कार्ड

प्रिय अभिभावक,

एक राष्ट्रव्यापी अभियान के अन्तर्गत खसरा तथा रुबैला के प्रति सुरक्षा प्रदान करने के लिए खसरा-रुबैला (एम.आर.) का एक टीका स्कूलों तथा आउटरीच सत्रों में आरम्भ किया जाएगा। इस एम.आर. टीके को बाद में नियमित टीकाकरण में शामिल कर लिया जाएगा। यह महत्वपूर्ण है कि इस अभियान के अन्तर्गत 9 माह से 15 वर्ष तक के आयु वर्ग के बच्चों को यह टीका लगाया जाएगा, भले ही पहले उन्हें एम.आर./एम.एम.आर. का टीका दिया जा चुका हो।

मूल कारण : खसरा रोग के सफ़ाये तथा रुबैला को नियंत्रित करने के लिए 9 माह से 15 वर्ष तक के बच्चों को यह टीका दिया जाना अत्यावश्यक है।

खसरा :

खसरा एक जानलेवा रोग है जोकि वायरस द्वारा फैलता है। बच्चों में खसरे के कारण विकलांगता तथा असमय मृत्यु हो सकती है।

रुबैला :

रुबैला एक संक्रामक रोग है जो वायरस द्वारा फैलता है। इसके लक्षण खसरा रोग जैसे होते हैं। यह लड़के या लड़की – दोनों को संक्रमित कर सकता है। यदि कोई महिला गर्भावस्था के शुरुआती चरण में इससे संक्रमित हो जाए तो कंजेनिटल रुबैला सिंड्रोम (सी.आर.एस) हो सकता है जोकि उसके भ्रूण तथा नवजात शिशु के लिए घातक सिद्ध हो सकता है।



याद रखने योग्य बातें

- ⊙ इस अभियान के दौरान यह टीका 9 माह से 15 वर्ष तक की उम्र के सभी बच्चों को ज़रूर लगवाया जाना चाहिए
- ⊙ इसे सभी स्कूलों, सामुदायिक सत्रों, आँगनवाड़ी केन्द्रों और सरकारी स्वास्थ्य केन्द्रों पर लगाया जाएगा
- ⊙ यदि किसी बच्चे को एम.आर./एम.एम.आर. का टीका पहले से लगाया जा चुका हो तो उसे भी यह टीका लगवाएँ
- ⊙ खसरा-रुबैला का टीका पूर्ण रूप से सुरक्षित है एवं इसके कोई दुष्प्रभाव नहीं होते
- ⊙ बच्चों को यह टीका एक प्रशिक्षित स्वास्थ्य कर्मी द्वारा लगाया जाएगा
- ⊙ इस सामूहिक अभियान में अपनी भागीदारी सुनिश्चित करें

खसरे को खत्म करने तथा
रुबैला पर नियंत्रण के लिए
हमारा देश कृतसंकल्प है



कृपया अपने 9 माह से 15 वर्ष तक की उम्र के बच्चों को खसरा-रुबैला टीकाकरण हेतु अभियान स्थल पर लेकर आएँ



टीकाकरण की अधिक जानकारी के लिए अपने ए.एन.एम., आशा एवं आँगनवाड़ी कार्यकर्त्री से संपर्क करें
या mrcampaignindia@gmail.com पर ई-मेल करें





Ministry of Health and Family Welfare
Government of India

MEASLES & RUBELLA VACCINATION CAMPAIGN

MR Information Card

Dear Parents,

Measles-rubella (MR) vaccine which provides protection from measles and rubella will be introduced nationwide through campaign in schools and outreach sessions. This will be followed by inclusion of MR vaccine in Routine Immunization. It is important that all children in the age group of 9 months to less than 15 years get the MR vaccine shot irrespective of the immunization status for measles/rubella (whether they have been vaccinated with MMR/MR vaccine or not).

Rationale: For measles elimination and rubella control, children in the age group of 9 months to less than 15 years need to be immunized to knock out the diseases.

MEASLES:

Measles is a life-threatening disease, which spreads through virus. Measles causes disability and untimely death of children.

RUBELLA:

Rubella is an infectious disease caused by virus. It has measles like symptoms. It infects both boys and girls. However, if a woman gets infected early in her pregnancy, it can result in Congenital Rubella Syndrome (CRS), which can be greatly harmful for the fetus and newborn child.



Important Points to Remember

- ✔ All children of 9 months to less than 15 years must get vaccinated with this vaccine during this campaign.
- ✔ This vaccine will be given in all schools, community sessions, anganwadi centers and government health centers.
- ✔ The child should be given this vaccine, even if he/she has already been given the MR/MMR vaccine earlier.
- ✔ MR vaccine is very safe and does not cause any severe side effects.
- ✔ The children will be vaccinated by a trained health worker.
- ✔ Ensure your participation in this campaign.

Our country has resolved to
**eliminate Measles and
control Rubella.**



Please bring your children of 9 months to less than 15 years of age to the MR vaccination campaign site.



To know more about the vaccine, contact your ANM, ASHA or Anganwadi worker
OR email at: mrcampaignindia@gmail.com

